


Rev.	Amendments	Date	Made By	Chk'd By



- 40mm consolidated thickness of 10mm dense asphalt concrete surface course 100/150. BS EN 13108.
- 60mm consolidated thickness of 20mm dense binder course asphalt concrete 100/150, BS EN 13108, (clause 906).
- 100mm thick 32mm aggregate dense base course asphalt concrete 100/150, BS EN 13108, (clause 906).
- 150mm thick granular sub-base Type 1 material (clause 803).

NOTES

1. Dished channel may be located on either side or along centre line of lane to suit existing ground level.
2. Lane should be positively drained.

BACK LANE CONSTRUCTION

HIGHWAY DESIGN GUIDE STANDARD DETAILS

**RHONDDA CYNON TAF
COUNTY BOROUGH COUNCIL**



Drawn	DA
Checked	SZ
Date	Apr '11
Scale	NTS
Drg. No.	258
Rev.	